

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A ~~record-carrier~~computer readable memory medium comprising

a data area for storing data in the form of marks, in which the data is encoded by means of a channel code, wherein a parameter of the channel code is controlled so as to introduce a predetermined run length distribution in the marks on the ~~record carrier~~computer readable memory medium, thereby introducing first information relating to a visually discernable watermark, and

a non-data area comprising second information relating to the visually discernable watermark,

the first and the second information together forming the visually discernable watermark, wherein the visually discernable watermark is visually discernable without a device discerning the visually discernable watermark.

2. (Currently amended) The ~~record-carrier~~computer readable

memory medium as claimed in claim 1, wherein the first and the second information forming the visually discernable watermark are visually aligned with respect to each other.

3. (Currently amended) The ~~record-carrier-computer~~ readable memory medium as claimed in claim 2, wherein the first and the second information is orientated with respect to each other using position information present in the non-data area.

4. (Currently amended) The ~~record-carrier-computer~~ readable memory medium as claimed in claim 2, wherein the ~~record-carrier-computer~~ readable memory medium further comprises angle information indicating a predetermined angle between the first information and the second information.

5. (Currently amended) The ~~record-carrier-computer~~ readable memory medium as claimed in claim 4, wherein the predetermined angle is used as authentication information.

6. (Currently amended) The ~~record-carrier-computer~~ readable memory medium as claimed in claim 1, wherein the non-data area is

both of an inner-ring area and an outer-ring area.

7. (Currently amended) The ~~record-carrier~~computer readable memory medium as claimed in claim 1, wherein the non-data area is a graphics band, text band, matrix band or identification band.

8. (Currently amended) The ~~record-carrier~~computer readable memory medium as claimed in claim 1, wherein the second information comprises at least one of picture and text information.

9. (Currently amended) The ~~record-carrier~~computer readable memory medium as claimed in claim 1, the data area comprising a pattern of substantially parallel tracks, wherein the predetermined run length distribution is correlated from track to track, so that the first information is visually detectable.

10. (Currently amended) The ~~record-carrier~~computer readable memory medium as claimed in claim 1, wherein a portion of the first information is non-visually detectable.

11. (Currently amended) The ~~record-carrier-computer~~ readable memory medium as claimed in claim 1, in which the channel code is the EFM channel code as used for the CD Digital Audio disc, wherein the parameter is the choice of merging bits.

12. (Currently amended) The ~~record-carrier-computer~~ readable memory medium as claimed in claim 1, wherein the parameter is the choice between channel words for information words from alternative tables, for example, information words 1 up to and including 88 in the EFM+ channel code as used in DVD, or the choice between sync words or the choice between states.

13. (Currently amended) A method of providing a watermark on a ~~record-carrier-computer~~ readable memory medium, the method comprising acts of:

receiving uncoded data,

receiving first information relating to the watermark, which first information is to be provided in the encoded data,

receiving second information relating to the watermark, which second information is to be provided in a non-data area,

encoding the uncoded data to encoded data by means of a

channel code, in which a parameter of the channel code is controlled under the influence of the first information relating to the watermark for introducing a predetermined run length distribution in the marks on the ~~record-carrier~~computer readable memory medium,

storing the encoded data on the ~~record-carrier~~computer readable memory medium to render the watermark visually discernable in a data area,

storing the second information in the non-data area to render the watermark visually discernable in the non-data area, wherein the watermark is visually discernable without a device discerning the watermark.